



NUWEN CO.,LTD

Hospital Beds Catalouge


NUWEN CO.,LTD

Add:Unit 1,no.187,Xiayang road,Hetang Town ,Pengjiang District,Jiangmen City,Guangdong Province , China.

E-mail: nuwen.china.2020@gmail.com

Mobile: +86-18680577977

WeChat/Whats app: +86-18680577977



+86-18680577977



Multifunctional electric hospital bed



Features:


- 1) Instant CPR release, Degree show function at bedrail.
- 2) Bed High-Low, Head (Back Rest) Articulation, Knee(Foot Rest)Articulation
- 3) Auto Contour (Head &Knee together moving function)
- 4) Trendelenburg and Reverse Trendelenburg with controls on both sides and hand set
- 5) Battery Back-up, Mobile-5" Casters adopt central control system, which is stable and reliable, fifth wheel for better steering and weight distribution.
- 6) Three control mode: Attendant control panel at both side rail, hand set with Caregiver articulation lockout controls and foot switch
- 7) 4-Position IV pole mounts
- 8) Head board and foot board with push handles
- 9) Zero Transfer Gap Retracting Side rails for easy patient transfer, Long and Short bedrail instant the control box for patient more safely.
- 10) One button control for Trendelenburg ,Emergency services, Be free from the bed, Chair Position

Dimensions:


- 1) Size: L2260 × W1080 × H500-800mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and Reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 500-800mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing



Multifunctional electric hospital bed



Features:


- 1) Instant CPR release, Degree show function at bedrail.
- 2) Bed High-Low, Head (Back Rest) Articulation, Knee(Foot Rest)Articulation
- 3) Auto Contour (Head &Knee together moving function)
- 4) Trendelenburg and reverse Trendelenburg with controls on both sides and hand set
- 5) Battery Back-up, Mobile-5" Casters adopt central control system, which is stable and reliable
- 6) Three control mode: Attendant control panel at both side rail, hand set with Caregiver articulation lockout controls and foot switch
- 7) 4-Position IV pole mounts
- 8) Head board and foot board with push handles
- 9) Zero Transfer Gap Retracting Side rails for easy patient transfer
- 10) One button control for Trendelenburg Emergency services Be free from the bed Seat form

Dimensions:

- 1) Size: L2260 × W1080 × H500-800mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 500-800mm
- 6) Angle of tilts to right or left section: 0 ~ 13° (± 2°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing



Optional: Scale Function



+86-18680577977



Five function electric hospital bed



Features:

- 1) Cold steel plate wholly molded surface, integrated frame treated with electrostatic spraying. Anti-aging and anti-rust
- 2) PE head and foot board integrated with bedside table*
- 3) 4 pcs longer automatic lifting railing, safe and reliable, and can be fixed upward and downward
- 4) One set of handset
- 5) Manual CPR*
- 6) Battery backup
- 7) Four wheels adopt central control system
- 8) Degree show function
- 9) Foot section correct to horizontal position
- 10) Back section decompression function, more space for patients


Dimensions:

- 1) L2220* W1040 *H500-900mm
- 2) Angle of back section 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 40° (± 5°)
- 4) Angle of Trendelenburg and Reverse Trendelenburg: 0 ~ 13° (± 2°)

Accessories:

- 1) I.V. pole
- 2) Integrated bedside table*
- 3) 6 pcs mattress holder*
- 4) X-RAY ready*
- 5) Expand 150mm*

* Optional



4pcs Automatic lifting railing embed design handset, can be fixed upward and downward, provides raises and lowers the upper body, knees, bed-frame height, trendelenburg and reverse Trendelenburg.



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel


Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Manual CPR (optional)



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Five function electric hospital bed with ACP



Features:


- 1) Cold steel plate wholly molded surface, connected with arc soft join.
- 2) PE head and foot board, longer automatic lifting railing, safe and reliable, and can be fixed upward and downward.
- 3) 4pcs Longer Automatic lifting railing embed design handset, can be fixed upward and downward, provides raises and lowers the upper body, knees, bed-frame height, Trendelenburg and reverse Trendelenburg.
- 4) The ACP (Attendant Control Panel) is fitted at end of bed It allows the nursing staff to retain direct control over critical functions.
- 5) 4pcs electro-motor, 1pc control box, 1pc ACP
- 6) Four wheels adopt central control system, which is stable and reliable

Dimensions:

- 1) Size: L2260 x W1080 x H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Longer Automatic lifting railing



4pcs Automatic lifting railing embed design handset, can be fixed upward and downward, provides raises and lowers the upper body, knees, bed-frame height, trendelenburg and reverse Trendelenburg. Degree show function



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



The ACP (Attendant Control Panel) is fitted at end of bed it allows the nursing staff to retain direct control over critical functions.



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Five function electric bed with ACP

Features:


- 1) Cold steel plate wholly molded surface, connected with arc soft joint
- 2) Streamline bed head board and railing made of PE
- 3) 4 PCS automatic lifting railing embed design handset, can be fixed upward and downward, which can raise or lower the upper body, knees, bed frame height, trendelenburg and reverse trendelenburg.
- 4) The ACP(attendant control panel) is fixed at the end of bed, which can allow the nursing staff to retain direct control over critical functions.
- 5) 4pcs electro-motor, 1 pc control box, 1 pc ACP
- 6) Stable and reliable central locking castors.

Dimensions:

- 1) Size: L2160 x W1080 x H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V pole
- 2) Wheels
- 3) Longer Automatic lifting railing



4pcs Automatic lifting railing embed design handset, can be fixed upward and downward, provides raises and lowers the upper body, knees, bed-frame height, trendelenburg and reverse Trendelenburg. Degree show function



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



The ACP (Attendant Control Panel) is fitted at end of bed it allows the nursing staff to retain direct control over critical functions.



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Semi-Electric Hospital Bed

Features:


- 1) Three functions of the Semi-electric hospital bed, including head and foot positioning and bed height.
- 2) This semi-electric hospital bed combines electric motor and the manual. Pendant control and Manual crank for this bed provides raises and lowers the upper body, knees, bed-frame height separately.
- 3) Cold steel plate wholly molded surface. Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust.
- 4) ABS bed head, 6 aluminum bars fence can go up and down.
- 5) 3pcs electro-motor, 1pcs control box, one set of handset and crank set.
- 6) 5" universal castors
- 7) Max loading: 280Kg
- 8) Battery backup (option)

Dimensions:

- 1) Size: L2130 x W980 x H450-680mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 450-680mm

Accessories:

- 1) I.V. pole
- 2) Wheels
- 3) Aluminum alloy protective railing



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors



This semi-electric hospital bed combines electric motor and the manual. Pendant control and Manual crank for this bed provides raises and lowers the upper body, knees, bed-frame height separately.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Collapsible side rail
6 aluminum bars fence with lock-switch can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Five Function Electric hospital bed



Features:

- 1) Cold steel plate wholly molded surface, integrated frame treated with electrostatic spraying. Anti-aging and anti-rust
- 2) PE head and foot board integrated with bedside table*
- 3) 4 pcs longer automatic lifting railing, safe and reliable, and can be fixed upward and downward
- 4) One set of handset
- 5) Manual CPR*
- 6) Battery backup
- 7) Four wheels adopt central control system
- 8) Degree show function
- 9) Foot section correct to horizontal position
- 10) Back section decompression function, more space for patients


Dimensions:

- 1) L2220* W1040 *H460-700mm
- 2) Angle of back section 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and Reverse Trendelenburg: 0 ~ 13° (± 2°)

Accessories:

- 1) I.V. pole
- 2) Integrated bedside table*
- 3) 6 pcs mattress holder*
- 4) X-RAY ready*
- 5) Expand 150mm*

* Optional



Five Function Electric hospital bed



Features:



- 1) Cold steel plate wholly molded surface, connected with arc soft join.
- 2) Streamline headboard and banister of PP.
- 3) 4pcs electro-motor, 1pc control box, 1pc handset
- 4) Automatic lifting railing, safe and reliable, and can be fixed upward and downward
- 5) One set of handset
- 6) Four wheels adopt central control system, which is stable and reliable

Dimensions:

- 1) Size: L2240 x W1080 x H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing



4pcs electro-motor, 1pc control box, one set of handset, Battery back up
Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: PP Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Manual CPR (optional)



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



4pcs electro-motor, 1pc control box, one set of handset, Battery back up
Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: PP Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Automatic lifting guardrail
Frame: PP molding, safe and reliable, and can be fixed upward and downward



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Five Function Electric hospital bed



Features:


- 1) Cold steel plate wholly molded surface, connected with arc soft join.
- 2) Streamline headboard and banister of PE.
- 3) 4pcs electro-motor, 1pc control box, 1pc handset
- 4) Automatic Long and Short lifting railing, safe and reliable, and can be fixed upward and downward
- 5) One set of handset
- 6) Four wheels adopt central control system, which is stable and reliable

Dimensions:

- 1) Size: L2260 x W1080 x H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing




4pcs electro-motor, 1pc control box, one set of handset, Battery back up
Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Five Function Electric hospital bed



Features:


- 1) Cold steel plate wholly molded surface.
- 2) Streamline headboard and long banister of PE.
- 3) 4pcs electro-motor, 1pc control box, 1pc handset
- 4) Automatic lifting guardrail, safe and reliable, and can be fixed upward and downward
- 5) One set of handset
- 6) Four castors adopt central control system, which stable and reliable.

Dimensions:

- 1) Size: L2160 x W1080 x H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V pole
- 2) Wheels
- 3) Longer Automatic lifting railing



4pcs electro-motor, 1pc control box, one set of handset, Battery back up
Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Five Function Electric hospital bed



Features:



- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS bed head, 6 aluminum bars fence can go up and down.
- 4) 4pcs electro-motor, 1pc control box,
- 5) One set of handset
- 6) 5" universal castors
- 7) Max Loading: 280 Kg
- 8) Battery backup

Dimensions:

- 1) Size: L2130 x W980 x H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Angle of Trendelenburg and reverse Trendelenburg: 0 ~ 13° (± 2°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



4pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.




Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors




Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Three Function Electric hospital bed



Features:


- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS bed head, 6 aluminum bars fence can go up and down.
- 4) 3pcs electro-motor, 1pc control box,
- 5) One set of handset
- 6) Four wheels adopt central control system, which is stable and reliable
- 7) Max Loading: 280 Kg
- 8) Battery backup

Dimensions:

- 1) Size: L2130 x W980 x H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel


Twin-wheel Lockable Castors Central Brake System



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Three Function Electric hospital bed

Features:



- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS bed head, 6 steel bars fence can go up and down.
- 4) 3pcs electro-motor, 1pc control box,
- 5) One set of handset
- 6) Four truckles adopt central control system, which is stable and reliable
- 7) Max Loading: 280 Kg
- 8) Battery back up

Dimensions:

- 1) Size: L2180 x W1040 x H460-700mm
- 2) Angle of back section: 0 ~ 80° (± 5°)
- 3) Angle of leg section: 0 ~ 40° (± 5°)
- 4) Adjustable height: 460-700mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Steel protective railing



Three Function Electric hospital bed

Features:

- 1) Cold steel plate wholly molded surface, integrated frame treated with electrostatic spraying. Anti-aging and anti-rust
- 2) PE head and foot board integrated with bedside table*
- 3) 4 pcs longer automatic lifting railing, safe and reliable, and can be fixed upward and downward
- 4) One set of handset
- 5) Manual CPR*
- 6) Battery backup
- 7) Four wheels adopt central control system
- 8) Degree show function
- 9) Foot section correct to horizontal position
- 10) Back section decompression function, more space for patients


Dimensions:

- 1) L2220* W1040 *H460-700mm
- 2) Angle of back section 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V. pole
- 2) Integrated bedside table*
- 3) 6 pcs mattress holder*
- 4) X-RAY ready*
- 5) Expand 150mm*

* Optional



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)

Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



4pcs Crash bumpers




Accessories (optional)

Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)

Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Manual CPR (optional)




Accessories (optional)

Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Three Function Electric hospital bed



Features:



- 1) Cold steel plate wholly molded surface, connected with arc soft join.
- 2) Streamline headboard and banister of PE.
- 3) 3pcs electro-motor, 1pc control box, 1pc handset
- 4) Automatic Long and Short lifting railing, safe and reliable, and can be fixed upward and downward
- 5) One set of handset
- 6) Four wheels adopt central control system, which is stable and reliable

Dimensions:

- 1) Size: L2260 × W1080 × H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel




Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Three Function Electric Hospital Bed



Features:


- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS bed head, 6 aluminum bars fence can go up and down.
- 4) 3pcs electro-motor, 1pc control box,
- 5) One set of handset
- 6) 5" universal castors
- 7) Max Loading: 280 Kg
- 8) Battery backup

Dimensions:

- 1) Size: L2130 × W980 × H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)




Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion

+86-18680577977



Three Function Electric hospital bed



Features:


- 1) Cold steel plate wholly molded surface.
- 2) Streamline headboard and banister of PE.
- 3) 3pcs electro-motor, 1pc control box, 1pc handset
- 4) Automatic Long and Short lifting railing, safe and reliable, and can be fixed upward and downward
- 5) One set of handset
- 6) 5" universal castors

Dimensions:

- 1) Size: L2260 × W1040 × H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)




Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Extra Low Three Function Electric bed



Features:



- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS bed head, 6 aluminum bars fence can go up and down.
- 4) 3pcs electro-motor, 1pc control box,
- 5) Battery backup
- 6) One set of handset
- 7) 5" universal castors
- 8) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2130mm × W980mm × H320mm~620mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 320-620mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



3pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Two Function Electric Hospital Bed

Features:


- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS bed head, 6 aluminum bars fence can go up and down.
- 4) 2pcs electro-motor, 1pc control box,
- 5) One set of handset
- 6) 5" universal castors
- 7) Max Loading: 280 Kg
- 8) Battery backup

Dimensions:

- 1) Size:L2130 × W980 × H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



2pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.




Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors(2pcs with brake, 2pcs without brake)



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Two Function Electric Hospital Bed

Features:


- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) PE head and foot board, longer automatic lifting railing, safe and reliable, and can be fixed upward and downward.
- 4) 2pcs electro-motor, 1pc control box,
- 5) One set of handset
- 6) 5" universal castors
- 7) Max Loading: 280 Kg
- 8) Battery back up

Dimensions:

- 1) Size:L2260 × W1040 × H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



2pcs electro-motor, 1pc control box, one set of handset, Battery back up

Can change the plug and voltage of the motor as inquiry



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.




Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy

+86-18680577977



One crank hospital bed



Features:


- 1) Single manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories: 5" universal castors 2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2130 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook



Optional : New design bedside rail




Single manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.




Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



One crank hospital bed

Features:


- 1) Single manual crank system
- 2) ABS bed head, 6 steel bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories: 5" universal castors , 2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust

Dimensions:

- 1) Size: L2130 x W1040 x H500mm
- 2) Angle of back section: 0 ~ 80° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Steel protective railing



Single manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 steel bars fence with Lock-Switch can be
collapsed easily and quickly



4pcs Crash bumpers



One crank hospital bed

Features:


- 1) Single manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) accessories): 5" universal castors, 2pcs urine hooks,
- 6pcs I.V drip holes, 1 I.V pole
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2160 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)

Accessories:

- 1) I.V pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook




Single manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



One crank hospital bed

Features:


- 1) Single manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) accessories):5" universal castors ,2pcs urine hooks,
- 6pcs I.V drip holes, 1 I.V pole
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:


- 1) Size: L2160 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)

Accessories:

- 1) I.V pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook



Single manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion

+86-18680577977



Two crank hospital bed



Features:


- 1) Double manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) 5" universal castors
- 4) 4pcs soft crashworthy bumpers, 2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2130 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook



Optional : New design bedside rail




Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



Two crank hospital bed



Features:


- 1) Double manual crank system
- 2) ABS bed head, Bedhead board is 7cm higher than Bedfoot board, 6 aluminum bars fence can go up and down.
- 3) 5" universal castors
- 4) 4pcs soft crashworthy bumpers, 2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2160 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook



Optional : New design bedside rail



Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly. Bedhead board is 7cm higher than Bedfoot board.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion

+86-18680577977



Two crank hospital bed



Features:



- 1) Double manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) Four wheels adopt central control system, 2pcs urine hooks, 6pcs I.V drip holes, 1 I.V pole
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:


- 1) Size: L2160 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook




Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly. Bedhead board is 7cm higher than Bedfoot board.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



Two crank hospital bed



Features:


- 1) Double manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) accessories: 5" universal castors, 2pcs urine hooks, 6pcs I.V drip holes, 1 I.V pole
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:


- 1) Size: L2160 x W980 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V. pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook



Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion

+86-18680577977



Two crank hospital bed



Features:


- 1) Double manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) Four wheels adopt central control system, 2pcs urine hooks, 6pcs I.V drip holes, 1 I.V pole
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:

- 1) Size:L2160*W980*H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section:0 ~ 30° (± 5°)

Accessories:

- 1) I.V pole
- 2) Wheels
- 3) Aluminum alloy protective railing



Two crank hospital bed



Features:



- 1) Double manual crank system
- 2) Streamline bed headboard and banister made of PE.
- 3) Four wheels adopt central control system, which is stable and reliable.
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:


- 1) Size: L2160 × W1040 × H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing
- 4) Oddment hook



Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Two crank hospital bed



Features:


- 1) Two manual crank system
- 2) ABS bed head, 6 steel bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories: 5" universal castors, 2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust

Dimensions:

- 1) Size: L2130 x W1040 x H500mm
- 2) Angle of back section: 0 ~ 80° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V. pole
- 2) Wheels
- 3) Steel protective railing




Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 steel bars fence with Lock-Switch can be collapsed easily and quickly



4pcs Crash bumpers



Two crank hospital bed



Features:


- 1) Double manual crank system
- 2) ABS bed head, Automatic lifting guardrail, safe and reliable, and can be fixed upward and downward
- 3) 5" universal castors
- 4) 4pcs soft crashworthy bumpers, 2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2130 x W1020 x H500mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V. pole
- 2) Wheels
- 3) Automatic lifting guardrail
- 4) Oddment hook



Double manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)




Automatic lifting guardrail
Frame: PP molding, safe and reliable, and can be fixed upward and downward



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Three crank hospital bed



Features:



- 1) 3sets manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) accessories:5" universal castors ,2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2130 × W980 × H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



Optional : New design bedside rail




Triple manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)




Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



Extra low three crank hospital bed



Features:


- 1) 3sets manual crank system
- 2) ABS bed head, 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) accessories:5" universal castors ,2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kgs

Dimensions:

- 1) Size:L2130 × W980 × H320-620mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 320-620mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



Triple manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



Three crank Two way holding hospital bed



Features:


- 1) 3sets manual crank system, Two way holding (Castors or spacing piece)
- 2) PP bed head, 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
- 4) accessories:5" universal castors,2pcs urine hooks, 6pcs IV drip holes
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2160 x W980 x H450-680mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 450-680mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing




Triple manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
5" universal castors



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch can be collapsed easily and quickly



Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



Luxury three crank hospital bed



Features:


- 1) 3sets manual crank system. ABS bed head board.Cold steel plate wholly molded surface
- 2) Automatic long and short lifting guardrail, safe and reliable, and can be fixed upward and downward
- 3) Four truckles adopt central control system, which is stable and reliable, 2pcs urine hooks, 6pcs IV drip holes
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:


- 1) Size:L2180 x W1040 x H460-700mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 40° (± 5°)
- 4) Adjustable height: 460-700mm

Accessories:

- 1) I.V.pole
- 2) Four center-control castors
- 3) Automatic lifting railing



Triple manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth (fireproof as optional)



Automatic lifting guardrail
Frame: PP molding, safe and reliable, and can be fixed upward and downward




Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy

+86-18680577977



Luxury three crank hospital bed



Features:



- 1) 3sets manual crank system. Cold steel plate wholly molded surface, connected with arc soft join.
- 2) Automatic lifting guardrail, safe and reliable, and can be fixed upward and downward
- 3) Four truckles adopt central control system, which is stable and reliable, 2pcs urine hooks, 4pcs IV drip holes
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2260 × W1080 × H480-720mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 480-720mm

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting guardrail



Triple manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel



Bed head and foot board
Frame: PE Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)




Automatic Long and Short lifting railing
Frame: PE molding, safe and reliable, and can be fixed upward and downward
Degree show function



Accessories (optional)
Bedside table
Movable, can adjust the position low or high
Made of ABS and aluminum alloy



Three crank hospital bed



Features:


- 1) 3 sets manual crank system
- 2) ABS bed head, Automatic long lifting railing can be fixed upward and downward
- 3) Four wheels adopt central control system, 2pcs urine hooks, 6pcs I.V drip holes, 1 I.V pole
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimensions:

- 1) Size: L2160 × W980 × H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Automatic lifting railing



Triple manual crank system
The crank adopt Hidden design



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel
Twin-wheel Lockable Castors Central Brake System



Bed head and foot board
Frame: ABS Molding
Movable head and foot boards with Lock-Switch, the board can be detached easily and quickly. Bedhead board is 7cm higher than Bedfoot board.



Accessories (optional)
Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly




Accessories (optional)
Telescopic Dining Table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion

+86-18680577977



Electric home care bed



Functions:


- 1) 3pcs electro-motor, 1pc control box, 1pc handset
- 2) Composite board outside, powder spray painting steel
- 3) Aluminum alloy bedside rails

Dimensions:

- 1) Size: L2080 X 1220 X400-600mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)
- 4) Adjustable height: 400-600mm

Accessories:

- 1) I.V.pole
- 2) Aluminum alloy protective railing
- 3) wheels



Two crank manual Home care bed



Functions:


- 1) Double manual crank system
- 2) Solid wood outside, powder spray painting steel
- 3) Aluminum alloy bedside rails

Dimensions:

- 1) Size: L2080 X 1220 X420mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of leg section: 0 ~ 30° (± 5°)

Accessories:

- 1) I.V.pole
- 2) Aluminum alloy protective railing



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors(2pcs with brake,
2pcs without brake)



Accessories (optional)

Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)




Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)

Telescopic Dining Table
The feature can shorten the length
of table while not in use to provide
against possible harms of protrusion



Two Sections I.V. Pole (Four Hooks)
Frame: Stainless steel

5" universal castors(2pcs with brake,
2pcs without brake)



Accessories (optional)

Mattress
Inside: high dense sponge,
Surface: waterproof & wearable cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with Lock-Switch
can be collapsed easily and quickly



Accessories (optional)

Bedside table
Movable, can adjust the position low
or high, made of composite board and
aluminum alloy, there is a rail on the
composite board

+86-18680577977



Emergency stretcher



Functions:

- 1) Size: L1950 × W650 × H570/860mm
- 2) Frame is made by aluminum alloy; the surface is made by PE material.
- 3) Automatic lifting guardrail made by PE, safe and reliable, and can be fixed upward and downward.
- 4) Single crank system, hand rocker system can adjust the stretcher.
- 5) Four wheels adopt central control system, which is stable and reliable

Dimensions:

- 1) Size: L1950 × W650 × H570/860mm
- 2) Angle of back section: 0 ~ 60° (± 5°)



Connecting stretcher




Features:

- 1) The main structure made of High quality Aluminum materials
- 2) High strength alloy aluminum materials for the track, to increase steady and reliability.
- 3) The two single-stretchers can be lift up or down easily, two single-stretchers can be connecting at the same level. The bed frame can move on the 2 stretchers
- 4) At the bed slide of any single stretcher can be locked automatically; and has a insurance equipment.
- 5) Central control braking system in every single-stretcher, reliable and steady during the movement or connection

Dimensions:

- 1) Size: L3650 × W640 × H640/920mm
- 2) Angle of back section: 0 ~ 60° (± 5°)
- 3) Adjustable height: 640-920mm




+86-18680577977



Examining Table

Specification:

Overall Dimension: L1900mm x W600mm x H650mm
 Max. Weight Capacity: 170kgs
 Mattress: High Class Sponge Artificial Leather
 Frame: Stainless Steel



Three Function trolley



3
Crank

Features:

- 1) Stainless steel body and mild steel powder coated holder
- 2) 3sets manual crank system
- 3) 5 aluminum bars fence can easy go up and down.
- 4) Water proof mattress cover, PU surface , high dense sponge inside
- 5) Fitted with 1 storage shelf and 1 oxygen cylinder carrier
- 6) Four pcs 5" universal castors (2pcs with brake,2pcs without),diameter 12.5cm.

Dimensions:

- 1) Size: 1950*700*550/750mm
- 2) Angle of back section: 0° ~ 70° (± 5°)
- 3) Angle of leg section: 0° ~ 30° (± 5°)
- 4) Adjustable height :550-750mm

Accessories:

1. I.V pole
2. mattress
3. aluminum alloy protective railing.
4. oxygen bottle holder



Stainless Steel Stretcher

Material: stainless steel
 Stainless steel rail can up and down
 Bed frame can be separated
 Can be made as assembling
 Size: L1935 x W570 x H650mm



+86-18680577977


Patient trolley



Features:

Size: 1935 x 570 x 750mm

- 1) 2 section: adjustable head section and fixed trunk section with mattress
- 2) Head section is adjusted by manual rack mechanism
- 3) Frame is made of tubular stainless steel
- 4) Fitted with 4 anti-shock resin bumpers, one at each corner
- 5) Water proof mattress cover, high dense sponge inside
- 6) with multiple drainage bag hooks at each side
- 7) Positions for I.V pole
- 8) Fitted with 1 storage basket and 1 oxygen cylinder carrier
- 9) Mounted on 4 anti-static swivel castors, diameter 12.5cm with brakes



Orthopedics bed



Features:


- 1) ABS material headboard and foot end board
- 2) Steel bed frame, stainless steel traction shelf
- 3) 4 sets manual crank systems, 1pc tilting pulling pole
- 4) 4 pcs urine hooks, 6 pcs IV drip holes
- 5) Optional choose luxurious double-face castors, 5" universal castors

Dimensions:

- 1) Size: L2130 x W980 x H450-680mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of right leg section: 0 ~ 30° (± 5°)
- 4) Angle of left leg section: 0 ~ 30° (± 5°)
- 5) Adjustable height: 450-680mm

Accessories:

- 1) I.V. pole
- 2) Wheels
- 3) Aluminum alloy protective railing





Orthopedics bed



Features:


- 1) ABS material headboard and foot end board
- 2) Steel bed frame, stainless steel traction shelf
- 3) 4 sets manual crank systems, 1 pc tilting pulling pole
- 4) 4 pcs urine hooks, 6 pcs IV drip holes
- 5) Optional choose luxurious double-face castors, 5" universal castors

Dimensions:


- 1) Size: L2130 x W980 x H480-720mm
- 2) Angle of back section: 0 ~ 70° (± 5°)
- 3) Angle of left leg section: 0 ~ 30° (± 5°)
- 4) Angle of right section: 0 ~ 30° (± 5°)
- 5) Adjustable height: 480-720mm

Accessories:

- 1) I.V. pole
- 2) Wheels
- 3) Aluminum alloy protective railing



Children's Bed




Features:

- 1) Single manual crank system
- 2) Frame is made of mild steel
- 3) Totally enclosed bedside rail
- 4) Bedside rail is possible to be adjusted to three altitudes

Dimensions:

- 1) Size 1500 x 800 x 550mm
- 2) Angle of back section: 0 ~ 70° (± 5°)



+86-18680577977




Children's Bed

Features:

- 1) Two manual crank system
- 2) Frame is made of mild steel
- 3) Totally enclosed bedside rail
- 4) Bedside rail is possible to be adjusted to three altitudes
- 5) The screw rod adopts the dual limit protection device

Dimensions:

- 1) Size:L1800 × W900 × H600mm The whole high: 1135mm
- 2) Angle of back section:0~80° ± (5°)
- 3) Angle of leg section: 0~40° ± (5°)



Stainless steel therapeutic Cart

Structure and configuration:

- 1) All stainless steel structure with silent wheels, double deck with a drawer.
- 2) Can be made as CKD

Size:

L680 × W400 × H870mm



Distribution cart

Structure and configuration:

- 1) All stainless steel structure,two-deck with silent wheels.
- 2) Can be made as CKD

Size:

L680 × W400 × H780mm



Stainless Steel Nursing Cart

Structure and configuration:

- 1) All stainless steel structure,fold-deck with silent wheels and dirt bags.
- 2) Can be made as CKD

Size:

L900 × W500 × H970mm



Operatuion cart

Operation Cart

- 1) Stainless steel operation cart
- 2) Can be made as CKD
- 3) Size: L450 × W350 × H950mm



Kick bucket

Size: 450 × 450 × 430 mm

- 1) Stainless steel bucket, capacity 18 litre
- 2) Mounted on a minimum of 4 swivel castors, diameter 5cms

+86-18680577977



Baby cabinet

Baby cabinet in carbon steel material and bassinette in Acrylic plastic.
Size:L820*W550*H900mm
Can be made as assembling



Baby cabinet

Baby cabinet in stainless steel material and bassinette in Acrylic plastic.
Size: L800 x W480 x H880mm
Can be made as CKD



Baby cabinet

Baby cabinet in mild steel material and bassinette in Acrylic plastic.
Size:L920 x W560 x H880mm
Can be made as CKD



Baby cabinet

Baby cabinet in stainless steel material and bassinette in Acrylic plastic.
Size:L840 x W480 x H880mm
Can be made as CKD



Single-Copy Medical Record Cart

Structure and configuration:
Made of ABS, with silent wheels,locks and drawers

Specifications:
25 shelves(piece)



Double-copy medical record cart

Structure and configuration:
Made of ABS , with silent wheels,locks and drawers.

Specifications:
50 shelves(piece)



+86-18680577977



Nursing chair

Features:

- 1) Powder spray painting steel framework
- 2) Waterproof & wearable cloth
- 3) High dense sponge
- 4) Expanding length 1900mm
- 5) Size: 690 x 700 x 950mm



IV drip chair

Features:

- 1) Both sitting and laying positions
- 2) Imitation leather material
- 3) High dense sponge
- 4) Device: 1pc oddment basket
- 5) Size: 630 x 670 x 1200mm



Cabinet

Bedside cabinet

- 1) 2pcs towel stands
- 2) With lock
- 3) Material: Mild steel powder coated body and base ABS door and top
- 4) Size: 480 X480 X 800mm



Cabinet

Bedside cabinet

- 1) 2pcs towel stands
- 2) 4pcs oddment hooks
- 3) Size: 480 X480 X 800mm
- 4) Material: ABS



Cabinet

Bedside cabinet

- 1) 2pcs towel stands
- 2) Size: 480 X480 X 970mm
- 3) With lock
- 4) Material: Mild steel powder coated body and base ABS door and top



Cabinet

Features:

- 1) 2pcs towel stands
- 2) 4pcs oddment hooks
- 3) Size 480 X480 X 800mm
- 4) All colors are available
- 5) Can be made as assembling
- 6) Material:ABS



NUWEN

+86-18680577977



Over bed table

Description:
 1) ABS material injected plastic board
 2) Aluminum alloy pull and stretch design

Size:
 L900/1060 x 350mm



Four section medical screen

Material: stainless steel
 Per section: 500mm*1800mm



One step footstool

Description:
 1) Made of steel with powder coated, nonslip tread and mounted on rubber feet

Size:
 490X290X210mm



Bedside table

Movable, can adjust the position low or high
 Can be made as assembling
 Specifications: 750 x 400 x 720-1150mm



Air Mattress

Mattress specification:
 1. Material: nylon with pvc inside
 2. Thickness: 0.40mm
 3. Size: 77" x 37.5"(inflated)
 4. Height of interchangeable gasbags: 3"
 5. number of interchangeable gasbags: 24
 6. 16 air interchangeable gasbags with micro air holes (one for 2 holes)

Pump specification:
 1. Size: 9.8" x5.1" x3.7"
 2. Weight: 1.5KG
 3. Voltage: AC 220V/110V
 4. Frequency: 50HZ/60HZ
 5. Power: 10W
 6. Pressure range: 10Kpa ~ 18Kpa
 7 Air output: 500L/H ~ 600L/H
 8. Cycle time: 10 minutes



Bedside table

Movable, can adjust the position low or high
 Made of ABS and aluminum alloy
 Specifications: L800 x W400 x H800-1090mm



Mattress

Description:
 1) inside: high dense sponge
 2) surface: waterproof & wearable cloth (fireproof as optional)

Size:
 1925X850X70mm




Bedside table

Movable, can adjust the position low or high, made of composite board and aluminum alloy, there is a rail on the composite board
 Size: 800*400*750/1050

+86-18680577977



Aluminum Bedside rail



Long and Short PE Bedside rail




Steel Bedside rail



PP Bedside rail



PE bed head and foot board



I.V drip stand



ABS bed head and foot board

Medical record



PP bed plate



ABS High and low Bed head and foot board
Head board is 7cm higher than foot board