

NW[®]
NUWEN



NUZHAR
+86-18680577977

 E-EMAIL: NUWEN.CHINA.20202@GMAIL.COM

 MOBILE: +86-18680577977

 WECHAT/WHATS APP: +86-18680577977

NW[®]
NUWEN

ADD : UNIT 1, NO. 187, XIAYANG ROAD,
HETANG TOWN PENGJIANG, DISTRICT,
JIANGMEN CITY, GUANGDONG ,
PROVINCE, CHINA.

NW
NUWEN



Intelligent window and door, window and door solution, aluminum window and door, thermal break window and door and sunroom

Sun Room series

Product features

1. Adopting high-strength aluminum alloy profiles, the structural layer and decorative layer are combined perfectly.
2. Providing various types of special glass roofs such as tempered, laminated, hollow glass etc.
3. Highly closed process structure ensures sealing performance.
4. New and beautiful shape, safe construction.



NUWEN



NUWEN Co.,Ltd

Add : Unit 1,no.187,Xiayang road,Hetang Town Pengjiang,District,
Jiangmen City,Guangdong ,Province,China.

NUZHAR

Phone : +86 186 80577 977

Email : 1146156552@qq.com

QUALITY TIME DEFINE THE FUTURE

+86-18680577977

10

THE ADVANTAGES

Remote control of mobile phones

Anywhere in the world, as long as there is the internet, you can control the windows and doors in your home and the electrical equipment that connected to them.



All things connected

Windows and doors connect to mobile phones and home appliances related to windows and doors such as air conditioners, air purifiers, curtains, gas valves, and various sensors.



WIFI+ Bluetooth Hybrid Network

Adopting Bluetooth and WIFI hybrid networking method, solving the problem of the quantity limit of WIFI router access and reduces the power consumption of the controller significantly, and the network delay does not exceed 1 second. The mobile phone connects to the smart window and door core gateway through WIFI or 2/3/4/5 G network.




Easy to design, install and maintain modules

AlweW intelligent windows and doors adopts modular design, one-to-one wiring, in case of failure, only need to replace the corresponding module that can be repaired.



Automatic lock theft

AlweW intelligent sliding windows and doors can be automatically locked after electrically closing; the locked windows and doors can be opened from the outside, a password is required. When opened from the inside or opened by a mobile phone, the password is not required.




Anti-clip hand anti-shock anti-bear child

It will stop when encountering slight resistance during the closing process, preventing the hands from being pinched. Use 12-24V safety voltage, no risk of electric shock.




Independent thinking

Can independently judge about when to close windows and doors, which to close, when to turn on the air conditioner, which air conditioner to turn on. Under the authorization of the owner, automatically control the switches of various networked devices.



Status View

As long as there is the internet, the owner can check the opening and closing status of smart windows and doors and various networked devices at any time and anywhere.



Power outage manual

AlweW intelligent windows and doors are integrated with manual, humanized design, they are more suitable for different members of the home to use. When power off, they can be manually opened and closed, regular use, so you have no worries.



Full Hidden Installation

AlweW intelligent windows and doors communicate internally through wireless transmission, while the power supply with 220V electric. AlweW intelligent windows and doors communicate internally through wireless transmission, while the power supply with 220V electric.



VZX-TM42/90/105

vzx-intelligent sliding door series
(can choose slim or heavy series,42/90/105 frame width)



Product features

1. wrapped sash with frame design, more securely sealed
2. Use the latest magnetic levitation system;
3. Barrier-free design
4. High load-bearing and service life packaging
5. Human body induction, anti-pinch hands, mobile phone App control remote control, remote control, can be equipped with electromagnetic lock, automatic lock, infrared sensor, face, fingerprint, password recognition, to connect to the intelligent home system.

Smart sliding door

VZX-PC126

vzx-intelligent sliding door series

Product features

1. The crimping line adopts a combined structure, the joint baiting group angle is more stable and more beautiful.
2. Adopting glue injection joint baiting, waterproof glue applied on the cross section, with stronger firmness and waterproof performance.
3. Diamond bevel shape, modern and simple style.
4. Can be opened outward, tilt and turn.
5. Human body induction, anti-pinch hands, mobile phone App control, remote control, can be equipped with electromagnetic lock, automatic lock, infrared sensor, face recognition, fingerprint recognition, password recognition, connect intelligent home system.



Intelligent casement window

VZX-TC135

vzx-intelligent sliding window series

VZX-TM134

vzx-magnetic suspension sliding door series

Product features

1. wrapped sash with frame design, more securely sealed.
2. Use the latest magnetic suspension system.
3. Barrier-free design.
4. High load-bearing and service life guarantee.
5. Human body induction, anti-pinch hands, mobile phone App control, remote control, can be equipped with electromagnetic lock, automatic lock, infrared sensing, face recognition, fingerprint recognition, password recognition, and connection to intelligent home systems.



Magnetic suspension sliding door series



Product features

1. Wrapped sash with frame design, more sealed.
2. High and low threshold design, more waterproof.
3. Wish anti-collision rubber strip in the sash, safer and more silent.
4. Human body induction, anti-pinch hands, mobile phone App control, and remote control can be equipped with electromagnetic lock, automatic lock, infrared sensing, face recognition, fingerprint recognition, password recognition, and connection to intelligence home systems.

Intelligent sliding window

+86-18680577977

VZ-PC55

vz-thermal break casement window series



Product features

1. High-end aluminum profile with 1.4mm thickness.
2. Hollow tempered glass, good sound insulation and safety performance.
3. The newest single joint baiting, the group angle is firmer and more beautiful.

Casement window

VS-PC96

vs-window and flyscreen series

Product features

1. Aluminum Profile thickness 1.4mm, with 5+18A+5 insulating temp glass.
2. The glass sash adopts T-shaped strip made of PA66, forming three seals with the sub-frame.
3. Standard high-strength anti-theft 304 stainless steel flyscreen.
4. Horizontal outward opening and awning opening methods are available.

Casement window



VS-PC106

VS-inside and outside frame window and flyscreen series

VS-PC85

vs-window with flyscreen series

Product features

1. Aluminum Profile thickness 1.4mm, with 5+16A+5 insulating temp glass.
2. Standard high-strength anti-theft 304 stainless steel flyscreen.
3. Germany OAOSM Outward opening system.
4. The newest single joint baiting, the group angle is firmer and more beautiful.
5. Inside and outside squared line pressing.
6. Horizontal outward opening and awning opening methods are available.

Casement window



Product features

1. Aluminum Profile thickness 1.4mm, with 5+27A+5 insulating temp glass.
2. Inner flat frame design.
3. Standard high-strength anti-theft 304 stainless steel flyscreen.
4. The newest single joint baiting, the group angle is firmer and more beautiful.
5. Horizontal outward opening and awning opening methods are available.
6. Equipped with PAG gear hinge, German OAOSM metal base handle.

Casement window



+86-18680577977

VS-PC112

vs-window with flyscreen series

Product features

1. The glass sash and the sub-frame form 3 seals, the sealing effect is better.
2. The indoor surface of the glass sash and the flyscreen fan can choose decorative strips of different colors to achieve personalized configuration.
3. Standard high-strength anti-theft 304 stainless steel flyscreen.
4. Adopts the latest anti-theft lock point lock seat.
5. Horizontal outward opening and awning opening methods are available.
6. Equipped with PAG gear hinge, Germany HOPPE handle.



Casement window

VZ-PC118/108

vz-window and flyscreen series



Product features

1. Aluminum Profile thickness 1.6mm, system structure design.
2. Perfect drainage system, three seals of duckbill rubber strip, the principle of isobaric rain curtain, forming isobaric concealed deadweight drainage.
3. Integral conversion frame, the outer frame and the outer surface of the conversion frame are connected to Haida automotive grade EPDM rubber strips to prevent rainwater leakage in the gap.
4. It can be equipped with inner sash and outer sash, misplaced design of glass sash and flyscreen sash with outer sash system, equipped with high straight handles, to experience a pleasant opening feeling.
5. High-end hardware quality, HOPO tilt and turn system, weighing up to 80KG, German OAOSM external opening system, weighing up to 80kg.
6. Frame and sash corners adopts double group distribution nail injection technology, stable structure and excellent performance.
7. The center pillar reinforcement is glued to ensure the entire frame structure.



Casement window

+86-18680577977

VS-TC135

vs-sliding window series



Product features

1. Sash wrapped by frame and more sealed .
2. High and low rail with waterproof design.
3. Installing anti-collision strip in sash and it is more secure and quiet.

Sliding window



VZ-PC126

vz-window with flyscreen series

Product features

1. The press lines are combined with the windows. They are with the angle code . It is more stable and beautiful.
2. Diamond-sloping style with modern minimalistic design.
3. The frame and sash align, and it is more beautiful.
4. Opening methods options: outward swing open, outward hanging, tilt and turn.

Casement window

VS-TC110

vs-sliding window series

Product features

1. Match German BOGO automatic locks with keys.
2. High and low rail with waterproof design.
3. Installing anti-collision strip in sash and it is more secure and quiet.
4. Match German BOGO automatic locks with keys.



Sliding window

VZ-PCN75


vz-inside on inside off system series

Product features

1. Profile wall thickness is 1.8mm, frame and sash align.
2. Adopting special-shaped glue injection joint baiting, waterproof glue applied on the cross section, with stronger firmness and waterproof performance.
3. Using isobaric adhesive strip. It forms an isobaric cavity because of isobaric rain curtain principle waterproof design.
4. The insulated cavity is filled with polyurethane, which effectively strengthens the thermal insulation performance.
5. Using 24mm extensive insulation strip. K value can be up to 2.2 w/m²K.



Horizontal pivoting window



VZ-PC78

vz-inside on inside off system series

NUWEN[®]



NUWEN



Product features

1. Profile frame thickness is 1.6mm, with a whole flat frame design.
2. Perfect hidden drainage system. Triple sealed drainage duckbill rubber strip. isobaric rain curtain principle.
3. Integral conversion frame, the outer frame and the outer surface of the conversion frame are connected to Haida automotive grade EPDM rubber strips to prevent rainwater leakage in the gap.
4. With inner open glass sash and outer open glass sash, while can choose double-in-inner open glass sash and the flyscreen. It can make sure that there is no risk of falling of the windows in high-rise building.
5. With top quality hardware, HOPO hardware with inward tilt & turn inversion system, with which can bear up to 80KG, German OAOSM outward opening system, with which can bear up to 80KG, Stanford hinge and mid-pillar reinforcement injection glue in order to ensure the strength of the whole frame structure.
6. Frame corner using two-group nail glue injection technology to ensure the stability of the structure.
7. Using a 24mm large insulation strip. The profile is filled with heat insulation/soundproofing materials. K value $\leq 2.2W/m^2K$.



Open window system

+86-18680577977



Minimalism very narrow wind

VJ-TM28

vj-sliding door series

Product features

1. Can be used as an outdoor balcony door, have a strong wind pressure resistance with heat insulation/soundproofing materials. K value $\leq 2.2W/m^2K$.
2. Single sash can bear 250kg, thermal-break narrow frame is option, for which the single sash can bear up to 500kg. All-in-one design with hidden frame, minimalistic design, and hidden sinking drainage structure.

VJ-TM42

vj-sliding door series

Product features

1. Used in kitchen with 18A double glazed glass.
2. Can do single track sliding door, double-track sliding door, three-track door, lifting door, and swing door.



Sliding door

NUWEN



Sliding door



VJ-TM16

vj-sliding door series

Product features

1. Can do single track door, double-track door, three-track door, three-track linkage door, lifting door, and swing door.
2. Can choose 4+4 glue or 5+12A+5 double glazed for glass.

Sliding door

+86-18680577977

VS-TM161

vs-sliding door series



Product features

1. The profile wall thickness is 1.4mm.
2. Sash wrapped by frame, and it is more secure and sealed.
3. High load bearing and long life duration .
4. three linkage opening method can be a option.



Sliding door

VZ-TM204

vz-sliding door series




Product features

1. The profile wall thickness is 2.0mm.
2. High load bearing and long life duration

Sliding door

Product features

1. The profile wall thickness is 1.6mm.
2. Sash wrapped by frame, and it is more secure and sealed.
3. High load bearing and long life duration.



Sliding door

VS-134-68

vs-sliding door series

Product features

1. The profile wall thickness is 3.0 mm. The width of the sash is 68mm.
2. Modern minimalistic design and it is more secure and sealed.
3. Sash wrapped by frame design, more securely sealed .
4. High load bearing and long life duration .



Sliding door



Product features

1. High-quality aluminum loading capacity, high stability, unique style and simple.
2. The width of the profile is extremely narrow, the profile thickness is still 2mm. Which makes great bending strength and exceeds the national standard .
3. Ultra-narrow frame design, so you can get an endless ocean views.
4. Used in the balcony, kitchen, canteen bathroom, etc..

Casement door



Casement door

NUWEN

Product features

1. Minimalistic and trendy design to meet the demand of modern lifestyle.
2. Improving life quality by panoramic open view .
3. Bringing a warmness feeling by improving brightness .
4. Increase the thickness of profile, so it has better strength.
5. Black, white, grey color design can avoid light reflections and bring a comfortable feeling.



Casement door

Product features

1. Can do multiple fold and have more open space.
2. Multi-functional screen and easy to use .
3. Anti-clamping hand design and it is more secure.
4. With superior heat insulation, sound insulation performance because of structural technology.
5. Up to 3m high, can do 3 sashes, 4 sashes, and other options.

Folding door



+86-18680577977