



NUWEN PVC FLOORING

DOOR MATS

PRODUCT

CATALOGUE



NUWEN CO.,LTD
Add:Unit 1,no.187,Xiayang road,Hetang Town ,Pengjiang
District,Jiangmen City,Guangdong Province , China.

✉ E-mail: nuwen.china.2020@gmail.com

📞 Mobile: +86-18680577977

💬 WeChat/Whats app: +86-18680577977

CONTENT

01 PVC FLOORING

02 PVC SPONGE FLOORING

03 PVC CAR MAT

04 PET FLOORING

05 PVC CLEAR SHEET

06 PVC TARPAULIN

07 PVC TABLE CLOTH

08 DOOR MAT

09 ARTIFICIAL GRASS

10 COMMERCIAL FLOORING

11 HOMOGENEOUS FLOORING

12 WALL PAPER

+86-18680577977

PVC FLOORING



	PVC flooring	Sponge flooring	Car mat
Thickness	0.30mm-2.50mm	0.90mm-5.50mm	0.60mm-3.00mm
Width	1.00m-2.00m	1.00m-2.00m	1.00m-2.00m
Length	15m-30m	15m-30m	15m-30m

Quality standard options



Normal flooring B38#



Normal flooring D27#



No surface flooring



Non easy tear ST 1#
(Any color smooth backing)



Non easy tear ST 2#
(Black and Gray Smooth backing)



Cotton backing flooring

+86-18680577977

PVC FLOORING

Pattern design more than 5000 design choose!




XH25301



XH25411



XH25504



XH25701




XH25901



XH26701




XH26001



XH26101



XH26201



XH26301



XH26401




XH26501



XH26601



XH26701



XH26801




XH26901



XH27001



XH27101




XH27201



XH27301



XH27401



XH27501



XH27601



XH27701


+86-18680577977

PVC SPONGE FLOORING




	PVC flooring	Sponge flooring	Car mat
Thickness	0.30mm-2.50mm	0.90mm-5.50mm	0.60mm-3.00mm
Width	1.00m-2.00m	1.00m-2.00m	1.00m-2.00m
Length	15m-30m	15m-30m	15m-30m

STRUCTURE



PVC flooring



PVC sponge flooring

+86-18680577977

PVC SPONGE FLOORING




Different sponge quality choose



CP# sponge flooring



OD# sponge flooring



SP# sponge flooring



AS# elephant mat surface sponge flooring



+86-18680577977

PVC SPONGE FLOORING

Package options



① Red and white cross package




② Blue and white cross package



③ PP bag inside and white knit bag outside



④ Green composite kraft paper package



⑤ Transparent woven bag




⑥ White krafe + plastic core + paper cap package

+86-18680577977

PVC CAR MAT



Surface options



Shiny surface car mat



Matt surface car mat

Backing options



Smooth



N27#



Cotton

+86-18680577977

PVC CAR MAT





Black cotton/woven car mat
Thickness: 1.4mm-2.0mm



+86-18680577977

PVC CAR MAT

Emboss Design Number:



PET FLOORING




PET quality, many backing quality choose PET




Red cotton/woven +70g
0.60MM-0.70mm



White cotton/woven+ (100-200g)
1.0mm-2.0mm



White non woven +25g-80g



PET surface net grid backing

+86-18680577977

PET FLOORING

	Red/Blue woven	White woven	White non woven
Weight	70g	100-200g	25g
Thickness	0.60mm-0.70mm	1.00mm-2.00mm	0.30mm-0.40mm
Width	1.83m-2.00m	1.83m-2.00m	1.83m-2.00m
Length	18m-30m	18m-30m	18m-30m



+86-18680577977

PVC CLEAR SHEET (PVC FILM)



Name	Thickness/mm	Width/cm	Length	PHR
PVC normal clear sheet	0.06-0.50	80-200	Customization	20-60
PVC super clear sheet	0.10-0.50	80-200	Customization	20-60
PVC laminated clear sheet	0.50-3.00	80-200	Customization	20-60
PVC color transperant film	0.06-1.00	80-200	Customization	20-60
PVC mattress packaging films (Stretch Film)	0.03-0.12	80-200	Customization	20-60
PVC emboss clear sheet	0.20-3.00	80-200	Customization	20-60

+86-18680577977

PVC CLEAR SHEET (PVC FILM)


Product type & Application



PVC normal clear sheet



PVC super clear sheet



PVC laminate clear sheet



PVC color transparent film



PVC emboss transparent film



PVC mattress packaging film (stretch film)



+86-18680577977

PVC CLEAR SHEET (PVC FILM)

Packaging options



① kraft paper and protective foam with transparent film Packaging



① kraft paper and protective foam with transparent film Packaging



② kraft paper and protective foam and transparent film with cap Packaging



PVC CLEAR SHEET (PVC FILM)

Factory photo



+86-18680577977

PVC TARPAULIN



Yarn Count	Density	Thickness(mm)	Weight(gsm)
200D*300D	18*12	0.25-0.35	220-420
300D*500D	18*12	0.27-0.50	270-600
500D*500D	9*9	0.27-0.50	270-600
500D*500D	18*12	0.30-0.70	300-700
500D*500D	18*18	0.35-0.75	350-800
1000D*1000D	9*9	0.35-0.80	300-700
1000D*1000D	12*12	0.35-0.80	300-700
1000D*1000D	18*18	0.40-0.80	400-1000
1000D*1000D	20*20	0.40-0.80	500-1300

+86-18680577977

PVC TARPAULIN



Product type



① Plain color



② Single printed / Double printed

Packaging options




① Transparent film packaging



② Kraft paper packaging

PVC TARPAULIN

Pattern design and color design number



N#01


N#02

N#03

N#04

N#05

N#06



N#07

N#08

N#09

N#10

N#11

N#12



N#13

N#14

N#15

N#16

N#17

N#18



N#113


N#114

N#117

N#120

N#124

N#139



N#138


N#150

N#154

N#149T

N#153T

N#157



N#129

N#131

N#132

N#145


N#146

N#147

+86-18680577977

PVC TARPAULIN

Factory photo



+86-18680577977

PVC TABLE CLOTH




Type	Thickness	Width	Length
PVC opaque table cloth	0.07mm-0.22mm	137cm / 140cm	20m-30m
Embossing with yarn backing printing tablecloth	0.20mm-0.30mm	137cm / 140cm	20m-30m
Transparent transfer printed table cloth	0.05mm-0.40mm	137cm / 140cm	20m-30m
Lace	0.20mm-0.30mm	137cm / 140cm	20m-30m
Golden and Silver lace printed color lace	0.20mm-0.30mm	137cm / 140cm	20m-30m
Christmas table cloth	0.07mm-0.22mm	137cm / 140cm	20m-30m

+86-18680577977

PVC TABLE CLOTH

Product type



Two layers pvc printed with non-woven backing



Three layers pvc printed with non-woven backing



3D Transferring printed with polyester backing



Two Layers PVC Transferring printed with polyester backing



PL Series (with polyester backing)



DH Series (with polyester backing)




GY Series (with polyester backing)



Transparent printing



Opaque single side printing



Luxurious



Color lace



Golden lace

+86-18680577977


PVC TABLE CLOTH



Backing options



PP non woven backing



PET non woven backing



Polyester backing



White sheet backing

Packaging options



① Transparent film packaging



② Carton packaging




③ White woven bag packaging

+86-18680571977


PVC TABLE CLOTH

Factory photo





+86-18680577977

DOOR MAT



+86-1868057797

DOOR MAT



ARTIFICIAL GRASS



+86-18680577977

ARTIFICIAL GRASS



Pile height: 7mm-10mm



Pile height: 20mm



Pile height: 25mm



Pile height: 30mm



Pile height: 35mm



Pile height: 40mm

Packaging options

Add plastic paper core (4m*25m/2M*25M)



① Yellow color knit bag



② Blue color knit bag









③ Green color knit bag



④ Black color knit bag

PVC white quality flooring
(customization color)

COMMERCIAL FLOORING



	Thinkness	Width	Backing
PVC white quality flooring (commercial flooring)	1.2mm	1m-2m	Soft touch White emboss backing
	1.4mm	1m-2m	Soft touch White emboss backing
	1.5mm	1m-2m	Soft touch White emboss backing
	1.6mm	1m-2m	Soft touch White emboss backing
	1.8mm	1m-2m	Soft touch White emboss backing
	2.0mm	1m-2m	Soft touch White emboss backing

+86-18680577977

COMMERCIAL FLOORING

PVC cotton/woven high quality flooring





	Thickness	Width	Backing
PVC cotton/woven high quality flooring (commercial flooring)	1.4mm	1.5m-2m	100g-150g Non woven
	1.5mm	1.5m-2m	100g-150g Non woven
	1.6mm	1.5m-2m	100g-150g Non woven
	1.8mm	1.5m-2m	100g-150g Non woven
	2.0mm	1.5m-2m	100g-150g Non woven

+86-18680577977


PVC cotton/woven high quality flooring

COMMERCIAL FLOORING



+86-18680577977

HOMOGENEOUS FLOORING





- ① protect special maintenance treatment
- ② Compacted homogenous floor covering


- ISO14001、GB/T20041
The health and safety system complies with ISO45001;
The environmental system complies with ISO14001,GB/T20041
- 0.03,
Residual sag;the residualsag value is only 0.03,excellent static and dynamic bearing capacity
- Environment-friendly plasticizer.a new generation of non phthalic plasticizers suitable for food packaging materials plasticizers
- TVOC
Air quality:TVOC release is lower than European standard,and the optimal air quality is guaranteed

+86-18680577977


HOMOGENEOUS FLOORING



NW828-001




NW828-003




NW828-004



N828-005



NW828-021



NW828-009

+86-18680577977

HOMOGENEOUS FLOORING

Characteristics	Standard	Unit	Result
Type of flooring 材料类型	ISO 10581-EN 649		Homogeneous Sheet
Marenal 材质			Polyvinyl chlonde
Cover 涂层			
Safety criteria			
Flammability	GB 8624-2012	class	B1
Slip resistance	DIN 51130	group	R9
Dynamic coeficient of friction	EN 13893	class	DS
Performance behaviour			
Sheet width	ISO 24341-EN 426	m	2
Sheet length	ISO 24341-EN 426	m	20
Overall thickness	ISO 24346-EN 428	mm	2
Total weight	ISO 23997-EN 430	kg/m ²	3.1
Dimensional stability	ISO 23999-EN 434		X : ≤0.4% Y : ≤0.4%
Color fastness	ISO 105-B02	rating	≥6
Resistance to staining	EN 423		No Stain
Bend resistance	GB/T 11982 2-2015		0
Antibacterial	ISO 22196		
Anti iodine			Good 优
Classification			
Domestic	ISO 10874-EN 685	class	23 heavy duty
Commercial	ISO 10874-EN 685	class	34 very heavy duty
Industrial	ISO 10874-EN 685	class	43 heavy duty
Additional property			
Castor chair			Antistatic Behaviour
Underfloor Heating			Chemical Resistance



ECOLOGY



FIRE-RETADED



WEAR-RESISTING



NON-SKID



RESILENCE



MOSITURE-STABLE



COMFORTABLE



EASY CLEANING

+86-18680577977

WALL PAPER



Recommended space: living room, bedroom, children's room, study, dining room, etc.

+86-18680577977

WALL PAPER



+86-18680577977