



NUWEN CO.,LTD

Add:Unit 1,no.187,Xiayang road,Hetang Town Pengjiang
District,Jiangmen City,Guangdong ,Province , China.

✉ E-mail: nuwen.china.2020@gmail.com

☎ Mobile: +86-18680577977


☑ WeChat/Whats app: +86-18680577977

Nuwen Modren Street Lights /Garden Lamps/Wall Lamps



LED Garden Light

LED 庭院灯




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve








NUWEN



技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M
功率 Power	30W	20W	20W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
透镜角度 Lens angle	120°*70°		
效率 Efficiency	87%		
防护等级			




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve









NUWEN



技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 130 × 85mm	 230 × 80mm	 150 × 100mm
产品高度 Product height	3M-4M	3M-4M	3M-4M
功率 Power	30-40W	30-40W	30-40W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
透镜角度 Lens angle	120°70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve









JB-GN001A2



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm	 150 × 60mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
功率 Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

LED Garden Light


LED 庭院灯

产品说明 Product description

Material and Technology:


- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-funcational coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve









NUWEN



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm	 150 × 60mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
功率 Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

+86-18680577977



+86-18680577977





产品说明 Product description





Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm	 150 × 100mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-3.5M	4M-6M	3M-3.5M
功率 Power	30W+10W-60W+20W	20W+10W/30W+10W	2 × 30W-2 × 60W	2 × 20W/2 × 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

LED Garden Light LED 庭院灯




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve






技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size			
	230 × 80mm	230 × 80mm	230 × 80mm
产品高度 Product height	3M-4M	3M-4M	3M-4M
功率 Power	30W	30W	30W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
透镜角度 Lens angle	120°70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		

LED Garden Light

LED 庭院灯




产品说明 Product description

Material and Technology:



- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fancional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



配光曲线 Light Distribution Curve





技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-4M
功率 Power	2 × 30W - 2 × 60W	2 × 20W / 2 × 30W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





产品说明 Product description

Material and Technology:






- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve






技术参数 Technology information

产品型号 Product Code					
灯体尺寸 Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm	 150 × 60mm	 150 × 60mm + Φ89mm
产品高度 Product height	4M-6M	3M-4M	3M-4M	3M-4M	3M-4M
功率 Power	30W+10W 60W+20W	20W+10W / 30W+10W		20W-40W	20W+7W 30W+7W
灯体材质 Lamp material	6063 Aluminum material				
色温 Color temp	3000K / 6000K				
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white				
芯片 LED chips	PHILIPS / CREE / BRIGDELUX				
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®				
透镜角度 Lens angle	120°70°				
效率 Efficiency	87%				
输入电压 Input voltage	AC85-265V				
防护等级 Protection levels	IP65				

LED

Garden Light

LED 庭院灯




NUWEN

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve






平均光束角 (50%):102.7 度

20

+86-18680577977



技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm	 200 × 100mm
产品高度 Product height	4M-6M	3M-3.5M	3M-4M
功率 Power	40W	40W	36W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®		
透镜角度 Lens angle	120°70°		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		




LED Garden Light LED 庭院灯

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve




平均光束角 (50%):102.7 度



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-3.5M
功率 Power	30W-40W	30W-40W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



LED Garden Light


LED 庭院灯

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve







NUWEN



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 150 x 100mm	 130 x 85mm
产品高度 Product height	4M-6M	3M-4M
功率 Power	30W-40W	30W-40W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

+86-18680577977



NUWEN

LED Garden Light


LED 庭院灯

产品说明 Product description


Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.


配光曲线 Light Distribution Curve




JB-GN006F1



技术参数 Technology information

产品型号 Product Code	
灯体尺寸 Lamp size	 200 x 100mm
产品高度 Product height	3M-4M
功率 Power	30W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65




NUWEN

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve






LED
Garden Light
LED 庭院灯



NUWEN



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size	 120 × 120mm	 120 × 120mm	 100 × 100mm	 100 × 100mm
产品高度 Product height	4M-6M	4M-6M	3M-4M	3M-4M
功率 Power	30W - 60W	30W - 60W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

LED Garden Light LED 庭院灯




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve





NUWEN



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 120 x 120mm	 100 x 100mm
产品高度 Product height	4M-6M	3M-4M
功率 Power	30W - 60W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

LED Garden Light


LED 庭院灯

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve






NUWEN



技术参数 Technology information

产品型号 Product Code	
灯体尺寸 Lamp size	 130 × 130 × 130mm
产品高度 Product height	3M-4M
功率 Power	30W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65

LED Garden Light LED 庭院灯





产品说明 Product description

Material and Technology:



- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fancional coating/prevent paste/ prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve





技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 130 × 130 × 130mm	 120 × 120mm
产品高度 Product height	3M-4M	3M-4M
功率 Power	30W	48W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

LED

Garden Light

LED 庭院灯




NUWEN

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve




平均光束角 (50%):102.7 度



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size				
	150 × 100mm	130 × 85mm	150 × 100mm	130 × 85mm
产品高度 Product height	3M-4M	3M-4M	3M-4M	3M-4M
功率 Power	20W / 30W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			






产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



平均光束角 (50%):102.7 度










NUWEN



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 200 × 200mm	 200 × 200mm
产品高度 Product height	3M-6M	3M-6M
功率 Power	20W - 50W	20W / 60W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-funcional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve






NUWEN



技术参数 Technology information

产品型号 Product Code	
灯体尺寸 Lamp size	 300 x 150mm
产品高度 Product height	3M-6M
功率 Power	20W - 50W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



配光曲线 Light Distribution Curve







NUWEN



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 120 × 120mm	 100 × 100mm
产品高度 Product height	3M-6M	3M-4M
功率 Power	40W - 80W	40W / 60W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

+86-18680577977


LED Garden Light LED 庭院灯

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





配光曲线 Light Distribution Curve






NUWEN

技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size				
	Φ114mm+Φ76mm	Φ140mm+Φ89mm	Φ114mm+Φ76mm	Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		30W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			





LED Garden Light LED 庭院灯




产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





配光曲线 Light Distribution Curve





平均光束角 (50%):102.7 度



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size				
	Φ114mm+Φ76mm	Φ140mm+Φ89mm	Φ114mm+Φ76mm	Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		30W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

LED Garden Light LED 庭院灯







产品说明 Product description

Material and Technology:



- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve





技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size		
	Φ114mm+Φ76mm	Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M
功率 Power	30W + 3W	
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°*70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	




产品说明 Product description


Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



平均光束角 (50%):102.7 度










NUWEN



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		36W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			




**LED
Garden Light** LED 庭院灯

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



平均光束角 (50%):102.7 度






NUWEN



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 Φ 114mm+ Φ 76mm	 Φ 140mm+ Φ 89mm
产品高度 Product height	3M-3.5M	3.5M-4M
功率 Power	60W	
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

+86-18680577977



NUWEN

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.




NUWEN



技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 Φ 76mm	 Φ 76mm
产品高度 Product height	80CM	80CM
功率 Power	5W	5W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



NUWEN

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 Φ 89mm	 Φ 89mm	 Φ 114mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	7W	7W	9W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		



产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.




技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 120 x 120mm	 130 x 85mm	 150 x 75mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	12W	8W	8W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





+86-18680577777



产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 150*100mm	 150*100mm
产品高度 Product height	80CM	80CM
功率 Power	6W	12W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	









产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 200*200mm	 200*200mm	 200*200mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	10W	10W	10W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		







NUWEN



产品说明 Product description

Material and Technology:





- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



NUWEN



技术参数 Technology information

产品型号 Product Code				
灯体尺寸 Lamp size	 130 × 85mm	 120 × 120mm	 200 × 80mm	 130 × 130 × 130mm
产品高度 Product height	80CM	80CM	80CM	80CM
功率 Power	5W	5W	10W	5W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	CREE			
驱动 Power supply	JUNBO driver			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			






产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

NUWEN

技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size			
	180*80mm	120*120mm	150*75mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	3W	9W	10W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		







产品说明 Product description



Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 Φ 76mm	 Φ 76mm	 Φ 76mm
功率 Power	5W	5W	2*5W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		






产品说明 Product description


Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 Φ89mm	 Φ89mm	 Φ89mm
功率 Power	7W	2*7W	7W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.


NUWEN




技术参数 Technology information

产品型号 Product Code		
灯体尺寸 Lamp size	 Φ114mm	 Φ114mm
功率 Power	9W	2*9W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





NUWEN







产品说明 Product description

Material and Technology:


- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information





产品型号 Product Code				
灯体尺寸 Lamp size	 Φ 114mm	 Φ 114mm	 130*130*130mm	 130*130*130mm
功率 Power	COB 7W	2*COB 7W	COB 10W	2*COB 10W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



+86-18680577977



技术参数 Technology information





产品型号 Product Code				
灯体尺寸 Lamp size	 130*85mm	 130*85mm	 150*100mm	 150*100mm
功率 Power	6W	2*6W	COB 10W	2*COB 10W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





NUWEN

技术参数 Technology information

产品型号 Product Code			
灯体尺寸 Lamp size	 120*120mm	 120*120mm	 150*60mm
功率 Power	COB 10W	2*COB 10W	2*COB 3W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

NUWEN





技术参数 Technology information

产品型号 Product Code						
灯体尺寸 Lamp size	530*360*165mm	530*360*165mm	620*360*165mm	620*360*165mm	720*360*165mm	720*360*165mm
功率 Power	40W	60W	80W	120W	160W	200W
灯体材质 Lamp material	6063 Aluminum material					
色温 Color temp	3000K / 6000K					
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white					
芯片 LED chips	PHILIPS / CREE					
驱动 Power supply	PHILIPS driver / MW driver from taiwan					
透镜角度 Lens Angle	120° - 150°					
效率 Efficiency	87%					
输入电压 Input voltage	AC85-265V					
防护等级 Protection levels	IP65					



+86-18680577977



技术参数 Technology information


产品型号	Product Code	
灯体尺寸	Lamp size	Φ180mm
功率	Power	15W
灯体材质	Lamp material	304 Stainless steel + Aluminum + PC
色温	Color temp	3000K / 6000K
芯片	LED chips	CREE
驱动	Power Supply	MW Driver From Taiwan
效率	Efficiency	87%
输入电压	Input voltage	AC85-265V
防护等级	Protection levels	IP65

NUWEN

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





技术参数 Technology information

产品型号	Product Code						
灯体尺寸	Lamp size	Φ100mm	Φ155mm	Φ200mm	Φ100mm	Φ155mm	Φ200mm
功率	Power	3*1W	5*1W/6*1W/7*1W	9*1W/12*1W	COB 3W-5W	COB 7W-15W	COB 20W-30W
灯体材质	Lamp material	304 Stainless steel + Aluminum + PC			304 Stainless steel + Aluminum + PC		
色温	Color temp	3000K / 6000K / Blue / Red / Green			3000K / 6000K		
芯片	LED chips	BRIGDELUX			BRIGDELUX		
驱动	Power Supply	JUNBO driver			JUNBO driver		
效率	Efficiency	87%			87%		
输入电压	Input voltage	AC85-265V			AC85-265V		
防护等级	Protection levels	IP65			IP65		

产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





NUWEN



产品说明 Product description

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号	Product Code						
灯体尺寸	Lamp size	Φ100mm	Φ155mm	Φ200mm	Φ100mm	Φ155mm	Φ200mm
功率	Power	3*1W	5*1W/6*1W/7*1W	9*1W/12*1W	COB 3W-5W	COB 7W-15W	COB 20W-30W
灯体材质	Lamp material	Aluminum			304 Stainless steel + Aluminum + PC		
色温	Color temp	3000K / 6000K / Blue / Red / Green			3000K / 6000K		
芯片	LED chips	BRIGDELUX			BRIGDELUX		
驱动	Power Supply	JUNBO driver			JUNBO driver		
效率	Efficiency	87%			87%		
输入电压	Input voltage	AC85-265V			AC85-265V		
防护等级	Protection levels	IP65			IP65		

